

Industrial vacuum cleaners for dust

Electric

UT 1,1 / 1,3 / 2,2 kW Mobil

Portable water heater for use in Industry and Trade

Range of applications

The side channel blower is designed for continuous use, even in multi-shift operation, are suitable. A micro filter bag or paper bag filter as a prefilter to minimize the dust load on the main filter. .

Different voltages are available on request. Equipment has to be agreed individually.


Properties/Advantages

- Continuous Fixed side channel blowers
- Very low noise
- Stainless steel tank
- Very easy emptying
- Simple operation and maintenance
- Space-saving design

The suction cups are offered as standard in three performance classes 1.1 / 1.3 / 2.2 kW. Individually, the suction volume can be adjusted exactly to the customer.

The extremely simple operation and cleaning capabilities of the vacuum cleaner designed specifically for industrial applications. The modular system of the vacuum can at any time eg be retrofitted with H14 filter.

The Standard Model UT Mobile sucks the suction material through the input port on the lid in a sealable bag or filter paper filter bag open. This system protects the downstream filter elements and reduced to a multiple of the cost of emptying the container. The paper bag / microfiber pouch also serve to protect the user against contact with product residues. As transport equipment (for example, granules, etc.) to create vacuum filtration and the residual dust, continuous extraction of dust from manufacturing or packaging equipment and used as soft water heater.



Accessories	
Description	Art.Nr.
Filter bag	see catalogue
Suction hose	see catalogue
Suction accessories	see catalogue
H - Filter	see catalogue

Technical data	
Engine	electric motor
Power	1,1 / 1,3 / 2,2 kW
Power consumption	400 V / 50 Hz. [IP 65]
Intake volume	145 / 210 / 320 m³/h
Vacuum	170 / 170 / 180 mbar
Intake volume	10 / 15 Liter
Total filter area	5.000 cm² / (H:20.000 mm²)
Connection hose	50 mm, reduceable
Weight	auf Anfrage
Noise level	69 - 74 dB (A)
Dimensions L x W x H	optional

